Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6070191").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/29 06:44
L2	703	718/105.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 06:44
L3	46	redirect$5 and ((keep-alive or (keep adj alive)) with (respons$5 reply$4 fail$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 06:51
L4	1	l3 and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 06:52
L5	419	redirect$5 and ((PING$4 ICMP HELLO HEALTH-CHECK$4) with (respons$5 reply$4 fail$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 06:57
L6	11	l5 and l2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 06:52
L7	103	(client same (select$5 choos$4) same (keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4) same (respons$5 reply$4 fail$5) same (provider server host))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 09:41
L8	21	l7 and @ad<="20000225"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 09:41
L9	184	(client with (keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4) with (respons$5 reply$4 fail$5) with (provider server host))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:26
L10	64	l9 and @ad<="20000225"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:53
L13	14	(client same ((second$4 alternat$4 another other next) adj (provider server host))) and l10	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 10:19

L14	14	(client same ((second$4 alternat$4 another other next) adj2 (provider server host))) and l13	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:23
L15	2	(client with (heartbeat keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4) with (unvailab$5 unreach$6 (("not" "no") adj2 (respons$5 reply$4))) with (provider server host) with (fail$4 crash$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:30
L16	13	(client same (heartbeat keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4) same (unvailab$5 unreach$6 (("not" "no") adj2 (respons$5 reply$4))) same (provider server host) same (fail$4 crash$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:54
L17	94	((heartbeat keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4) same (unvailab$5 unreach$6 (("not" "no") adj2 (respons$5 reply$4))) same (provider server host) same (fail$4 crash$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:40
L18	17	l17 and @ad<="20000225"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:56
L19	61	(client same (poll$4 heartbeat keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4) same ((second$4 alternate next) adj2 (provider server host)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:55
L20	23	l19 and @ad<="20000225"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:42
L21	13	(client with (heartbeat keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4 probes probing probed) with ((second$4 alternat$4 another next) adj2 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:46
L22	5	l21 and @ad<="20000225"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:49
L23	9	(client with (heartbeat keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4 probes probing probed) with ((second$4 alternat$4 another next) adj2 server) with ((primary first) adj3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:48
L24	25	(client same (heartbeat keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4 probes probing probed) same ((second$4 alternat$4 another next) adj2 server) same ((primary first) adj3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:52

L25	10	I24 and @ad<="20000225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 12:53
L26	79	((heartbeat keep-alive or PING$4 ICMP HELLO HEALTH-CHECK$4 probes probing probed (status adj (inquiry query))) same ((second$4 alternat$4 another next) adj2 server) same ((primary first) adj3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 13:01
L27	27	I26 and @ad<="20000225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 13:03
L28	23	(client adj5 (select$5 choos$4) adj5 ((second$4 alternat$4 another next) adj2 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 13:03
L29	4	I28 and @ad<="20000225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 13:03